

EndNote Web

Search Key Word: Antimicrobial susceptibility and Neisseria gonorrhoeae (in Abstract)

Search date: August 13, 2008

Export in the bibliographic style of J Clin Microbiol

1. 1997. Antimicrobial resistance in gonococci, WHO Western Pacific Region, 1996. The WHO Western Pacific Region Gonococcal Antimicrobial Surveillance Programme. *Commun Dis Intell* **21**:349-53.
2. 1990. Disk diffusion antimicrobial susceptibility testing of *Neisseria gonorrhoeae*. *MMWR Morb Mortal Wkly Rep* **39**:167-9.
3. **Abeck, D., A. Johnson, W. Grimm, R. Zaba, and H. Korting.** 1989. Plasmid content, serotypes, and antimicrobial susceptibility of *Neisseria gonorrhoeae* strains isolated in Munich in 1987-88. *Eur J Epidemiol* **5**:170-2.
4. **Adegbola, R., S. Sabally, T. Corrah, B. West, and D. Mabey.** 1997. Increasing prevalence of penicillinase-producing *Neisseria gonorrhoeae* and the emergence of high-level, plasmid-mediated tetracycline resistance among gonococcal isolates in The Gambia. *Trop Med Int Health* **2**:428-32.
5. **Adeyemi-Doro, F., D. Lyon, T. Ling, and A. Cheng.** 2000. E-test method of antimicrobial susceptibility testing of *Neisseria gonorrhoeae* for routine diagnostic service. *Afr J Med Med Sci* **29**:171-3.
6. **Adu-Sarkodie, Y.** 1995. Antimicrobial susceptibility of *Neisseria gonorrhoeae*, the essential drug list, and HIV/AIDS control. *Trop Doct* **25**:45.
7. **Allerberger, F., H. Kofler, C. Brezinka, J. Guggenbichler, and M. Dierich.** 1993. Antimicrobial susceptibility pattern of *Neisseria gonorrhoeae* in western Austria. *Wien Klin Wochenschr* **105**:346-9.
8. **Avnstorp, C., M. Bentzon, A. Bollerup, J. Kristensen, and I. Lind.** 1989. [Treatment of gonorrhea at the Venereal Disease Clinic in Copenhagen in 1985. A study of the efficacy of standardized treatment compared with the sensitivity of *Gonococcus* to penicillin in vitro]. *Ugeskr Laeger* **151**:2260-3.
9. **Bala, M., R. Jain, and K. Ray.** 2008. Antimicrobial susceptibility profile of resistance phenotypes of *Neisseria gonorrhoeae* in India. *Sex Transm Dis* **35**:588-91.
10. **Bala, M., K. Ray, and S. Gupta.** 2008. Antimicrobial resistance pattern of *Neisseria gonorrhoeae* isolates from peripheral health centres and STD clinic attendees of a tertiary care centre in India. *Int J STD AIDS* **19**:378-80.
11. **Bala, M., K. Ray, and S. Gupta.** 2005. Comparison of disc diffusion results with minimum inhibitory concentration (MIC) values for antimicrobial susceptibility testing of *Neisseria gonorrhoeae*. *Indian J Med Res* **122**:48-51.
12. **Bala, M., K. Ray, S. Gupta, S. Muralidhar, and R. Jain.** 2007. Changing trends of antimicrobial susceptibility patterns of *Neisseria gonorrhoeae* in India and the emergence of ceftriaxone less susceptible *N. gonorrhoeae* strains. *J Antimicrob Chemother* **60**:582-6.
13. **Bala, M., K. Ray, and S. Kumari.** 2003. Alarming increase in ciprofloxacin- and penicillin-resistant *Neisseria gonorrhoeae* isolates in New Delhi, India. *Sex Transm Dis* **30**:523-5.
14. **Banwat, E., E. Audu, and D. Egah.** 2001. Antimicrobial susceptibility pattern of *Neisseria gonorrhoeae* isolated at the Jos University Teaching Hospital, Jos, Central Nigeria. *Niger J Med* **10**:72-4.

15. **Barrett, M., and R. Jones.** 1992. Susceptibility testing interpretive criteria and drug stability for cefdinir, cefetamet, and cefpodoxime against *Neisseria gonorrhoeae*. *Diagn Microbiol Infect Dis* **15**:685-91.
16. **Barry, A., and P. Fuchs.** 1991. Comparison of agar media used for determining antimicrobial susceptibility of *Neisseria gonorrhoeae*. *J Antimicrob Chemother* **28**:149-51.
17. **Bhalla, P., K. Sethi, B. Reddy, and M. Mathur.** 1998. Antimicrobial susceptibility and plasmid profile of *Neisseria gonorrhoeae* in India (New Delhi). *Sex Transm Infect* **74**:210-2.
18. **Bhalla, P., S. Vidhani, B. Reddy, S. Chowdhry, and M. Mathur.** 2002. Rising quinolone resistance in *Neisseria gonorrhoeae* isolates from New Delhi. *Indian J Med Res* **115**:113-7.
19. **Bhatambare, G., and R. Karyakarte.** 2001. Penicillin resistant *neisseria gonorrhoeae* at Aurangabad. *Indian J Med Microbiol* **19**:155-6.
20. **Bhuiyan, B., M. Rahman, M. Miah, S. Nahar, N. Islam, M. Ahmed, K. Rahman, and M. Albert.** 1999. Antimicrobial susceptibilities and plasmid contents of *Neisseria gonorrhoeae* isolates from commercial sex workers in Dhaka, Bangladesh: emergence of high-level resistance to ciprofloxacin. *J Clin Microbiol* **37**:1130-6.
21. **Biddle, J., J. Swenson, and C. Thornsberry.** 1978. Disc agar diffusion antimicrobial susceptibility tests with beta-lactamase producing *Neisseria gonorrhoeae*. *J Antibiot (Tokyo)* **31**:352-8.
22. **Biedenbach, D., and R. Jones.** 1996. Comparative assessment of Etest for testing susceptibilities of *Neisseria gonorrhoeae* to penicillin, tetracycline, ceftriaxone, cefotaxime, and ciprofloxacin: investigation using 510(k) review criteria, recommended by the Food and Drug Administration. *J Clin Microbiol* **34**:3214-7.
23. **Black, V., P. Magooa, F. Radebe, M. Myers, C. Pillay, and D. Lewis.** 2008. The detection of urethritis pathogens among patients with the male urethritis syndrome, genital ulcer syndrome and HIV voluntary counselling and testing clients: should South Africa's syndromic management approach be revised? *Sex Transm Infect* **84**:254-8.
24. **Bogaerts, J., W. Tello, J. Akingeneye, V. Mukantabana, E. Van Dyck, and P. Piot.** 1993. Effectiveness of norfloxacin and ofloxacin for treatment of gonorrhoea and decrease of in vitro susceptibility to quinolones over time in Rwanda. *Genitourin Med* **69**:196-200.
25. **Bogaerts, J., E. Van Dyck, B. Mukantabana, J. Munyabikali, and W. Martinez Tello.** 1998. Auxotypes, serovars, and trends of antimicrobial resistance of *Neisseria gonorrhoeae* in Kigali, Rwanda (1985-93). *Sex Transm Infect* **74**:205-9.
26. **Bollerup, A.** 1984. In vitro susceptibility of *Neisseria gonorrhoeae* to cefuroxime, penicillin, and tetracycline in Denmark-1979. *Sex Transm Dis* **11**:308-11.
27. **Brett, M.** 1989. Conjugal transfer of gonococcal beta-lactamase and conjugative plasmids to *Neisseria meningitidis*. *J Antimicrob Chemother* **24**:875-9.
28. **Brown, S., T. Warnnissorn, J. Biddle, K. Panikabutra, and A. Traisupa.** 1982. Antimicrobial resistance of *Neisseria gonorrhoea* in Bangkok: is single-drug treatment passé. *Lancet* **2**:1366-8.
29. **Brunham, R., L. Fransen, F. Plummer, P. Piot, L. Slaney, S. Bygdeman, and H. Nsanze.** 1985. Antimicrobial susceptibility testing and phenotyping of *Neisseria gonorrhoeae* isolated from patients with ophthalmia neonatorum in Nairobi, Kenya.

- Antimicrob Agents Chemother **28**:393-6.
30. **Chaudhary, C., F. Hasan Chaudhary, A. Pandey, N. Karki, P. Kansaker, A. Das, J. Ross, S. Malla, A. Hossain, G. Neilsen, and M. Rahman.** 2005. A pilot study on antimicrobial susceptibility of *Neisseria gonorrhoeae* isolates from Nepal. *Sex Transm Dis* **32**:641-3.
 31. **Cheong, L., R. Chan, and M. Nadarajah.** 1992. Pefloxacin and ciprofloxacin in the treatment of uncomplicated gonococcal urethritis in males [corrected]. *Genitourin Med* **68**:260-2.
 32. **Claeys, G., H. Taelman, P. Gichangi, M. Tyndall, J. Ombete, G. Verschraegen, and M. Temmeperman.** 1998. Antimicrobial susceptibility of *Neisseria gonorrhoeae* isolates from men with urethritis in Kenya. *Sex Transm Infect* **74**:294-5.
 33. **Cohen, M., M. Cooney, E. Blackman, and P. Sparling.** 1983. In vitro antimicrobial susceptibility of penicillinase-producing and intrinsically resistant *Neisseria gonorrhoeae* strains. *Antimicrob Agents Chemother* **24**:597-9.
 34. **Coovadia, Y., A. Kharsany, and U. Ramsaroop.** 1984. Antimicrobial susceptibility of *Neisseria gonorrhoeae* isolated in Durban, South Africa. *Br J Vener Dis* **60**:306-8.
 35. **Covino, J., B. Smith, M. Cummings, S. Benes, K. Draft, and W. McCormack.** 1993. Comparison of enoxacin and ceftriaxone in the treatment of uncomplicated gonorrhea. *Sex Transm Dis* **20**:227-9.
 36. **Daly, C., I. Hoffman, M. Hobbs, M. Maida, D. Zimba, R. Davis, G. Mughogho, and M. Cohen.** 1997. Development of an antimicrobial susceptibility surveillance system for *Neisseria gonorrhoeae* in Malawi: comparison of methods. *J Clin Microbiol* **35**:2985-8.
 37. **De Jongh, M., Y. Dangor, A. Adam, and A. Hoosen.** 2007. Gonococcal resistance: evolving from penicillin, tetracycline to the quinolones in South Africa -- implications for treatment guidelines. *Int J STD AIDS* **18**:697-9.
 38. **Deguchi, T., M. Yasuda, M. Nakano, S. Ozeki, T. Ezaki, I. Saito, and Y. Kawada.** 1996. Quinolone-resistant *Neisseria gonorrhoeae*: correlation of alterations in the GyrA subunit of DNA gyrase and the ParC subunit of topoisomerase IV with antimicrobial susceptibility profiles. *Antimicrob Agents Chemother* **40**:1020-3.
 39. **Deodhar, L., M. Sonawala, and A. Gogate.** 1989. Co-existence of *N. gonorrhoeae* and *U. urealyticum* in male urethra. *J Postgrad Med* **35**:144-6.
 40. **Dewi, B., S. Akira, H. Hayashi, and W. Ba-Thein.** 2004. High occurrence of simultaneous mutations in target enzymes and MtrRCDE efflux system in quinolone-resistant *Neisseria gonorrhoeae*. *Sex Transm Dis* **31**:353-9.
 41. **Dillon, J., H. Li, J. Sealy, M. Ruben, and P. Prabhakar.** 2001. Antimicrobial susceptibility of *Neisseria gonorrhoeae* isolates from three Caribbean countries: Trinidad, Guyana, and St. Vincent. *Sex Transm Dis* **28**:508-14.
 42. **Dillon, J., and M. Pauzé.** 1984. Introductory address: resistance to antimicrobial agents. What next for *Neisseria gonorrhoeae*? *Sex Transm Dis* **11**:353-9.
 43. **Dillon, J., J. Rubabaza, A. Benzaken, J. Sardinha, H. Li, M. Bandeira, and E. dos Santos Fernando Filho.** 2001. Reduced susceptibility to azithromycin and high percentages of penicillin and tetracycline resistance in *Neisseria gonorrhoeae* isolates from Manaus, Brazil, 1998. *Sex Transm Dis* **28**:521-6.
 44. **Dillon, J., M. Ruben, H. Li, G. Borthagaray, C. Márquez, S. Fiorito, P. Galarza, J. Portilla, L. León, C. Agudelo, O. Sanabria, A. Maldonado, and P. Prabhakar.** 2006. Challenges in the control of gonorrhea in South America and the Caribbean: monitoring

- the development of resistance to antibiotics. *Sex Transm Dis* **33**:87-95.
45. **Dillon, J., W. Tostowaryk, and M. Pauzé.** 1987. Effects of different media and methods of inoculum preparation on results of antimicrobial susceptibility testing of *Neisseria gonorrhoeae* by agar dilution. *Antimicrob Agents Chemother* **31**:1744-9.
 46. **Doern, G., and R. Jones.** 1988. Antimicrobial susceptibility testing of *Haemophilus influenzae*, *Branhamella catarrhalis*, and *Neisseria gonorrhoeae*. *Antimicrob Agents Chemother* **32**:1747-53.
 47. **Donegan, E., D. Wirawan, P. Muliawan, J. Schachter, J. Moncada, M. Parekh, and J. Knapp.** 2006. Fluoroquinolone-resistant *Neisseria gonorrhoeae* in Bali, Indonesia: 2004. *Sex Transm Dis* **33**:625-9.
 48. **Dragsted, D., P. Poulsen, C. Nørgaard, and I. Lind.** 2002. Antimicrobial susceptibility of *Neisseria gonorrhoeae* strains isolated in Nuuk, Greenland during 1998-1999. *Int J STD AIDS* **13**:826-8.
 49. **Eggert-Kruse, W., H. Hofmann, I. Gerhard, A. Bilke, B. Runnebaum, and D. Petzoldt.** 1988. Effects of antimicrobial therapy on sperm-mucus interaction. *Hum Reprod* **3**:861-9.
 50. **Ehret, J., and J. Knapp.** 1989. Gonorrhea. *Clin Lab Med* **9**:445-80.
 51. **Ehret, J., L. Nims, and F. Judson.** 1996. A clinical isolate of *Neisseria gonorrhoeae* with in vitro resistance to erythromycin and decreased susceptibility to azithromycin. *Sex Transm Dis* **23**:270-2.
 52. **Elghoul, M., and R. Joshi.** 1990. Antimicrobial susceptibility of non-penicillinase and penicillinase-producing *Neisseria gonorrhoeae* strains isolated in Tripoli, Libya. *Int J STD AIDS* **1**:343-5.
 53. **Enders, M., A. Turnwald-Maschler, and T. Regnath.** 2006. Antimicrobial resistance of *Neisseria gonorrhoeae* isolates from the Stuttgart and Heidelberg areas of southern Germany. *Eur J Clin Microbiol Infect Dis* **25**:318-22.
 54. **Enders, M., A. Turnwald-Maschler, and T. Regnath.** 2006. Antimicrobial resistance of *Neisseria gonorrhoeae* isolates from the Stuttgart and Heidelberg areas of southern Germany. *Eur J Clin Microbiol Infect Dis*.
 55. **Fekete, T.** 1993. Antimicrobial susceptibility testing of *Neisseria gonorrhoeae* and implications for epidemiology and therapy. *Clin Microbiol Rev* **6**:22-33.
 56. **Fernandez Cobo, M., P. Galarza, M. Sparo, L. Buscemi, M. Pizarro, and S. Fiorito.** 1999. Characterization of an outbreak of tetM-containing *Neisseria gonorrhoeae* in Argentina. *Int J STD AIDS* **10**:169-73.
 57. **Furuya, R., Y. Onoye, A. Kanayama, T. Saika, T. Iyoda, M. Tatewaki, K. Matsuzaki, I. Kobayashi, and M. Tanaka.** 2007. Antimicrobial resistance in clinical isolates of *Neisseria subflava* from the oral cavities of a Japanese population. *J Infect Chemother* **13**:302-4.
 58. **Goh, B., P. Rodin, N. Johnston, and H. Wong.** 1985. Penicillinase-producing *Neisseria gonorrhoeae*: epidemiology, antimicrobial susceptibility and plasmid types. *J Infect* **11**:63-9.
 59. **Govender, S., T. Lebani, and R. Nell.** 2006. Antibiotic susceptibility patterns of *Neisseria gonorrhoeae* isolates in Port Elizabeth. *S Afr Med J* **96**:225-6.
 60. **Gransden, W., C. Warren, and I. Phillips.** 1991. 4-Quinolone-resistant *Neisseria gonorrhoeae* in the United Kingdom. *J Med Microbiol* **34**:23-7.
 61. **Green, M.** 1978. In-vitro antimicrobial susceptibility of *Neisseria gonorrhoeae* in New

- Zealand. *Br J Vener Dis* **54**:316-21.
62. **Handsfield, H., R. Rice, M. Roberts, and K. Holmes.** 1989. Localized outbreak of penicillinase-producing *Neisseria gonorrhoeae*. Paradigm for introduction and spread of gonorrhea in a community. *JAMA* **261**:2357-61.
 63. **Harbec, P., and P. Turcotte.** 1996. Preservation of *Neisseria gonorrhoeae* at -20 degrees C. *J Clin Microbiol* **34**:1143-6.
 64. **Harry, C.** 2004. The management of uncomplicated adult gonococcal infection: should test of cure still be routine in patients attending genitourinary medicine clinics? *Int J STD AIDS* **15**:453-8.
 65. **Heffernan, H., M. Brokenshire, R. Woodhouse, A. MacCarthy, and T. Blackmore.** 2004. Antimicrobial susceptibility among *Neisseria gonorrhoeae* in New Zealand in 2002. *N Z Med J* **117**:U817.
 66. **Herbert, D., and J. Ruskin.** 1981. Are the "nonpathogenic" *Neisseriae* pathogenic? *Am J Clin Pathol* **75**:739-43.
 67. **Hindler, J.** 1983. Strategies for antimicrobial susceptibility testing of fastidious aerobic bacteria. *Am J Med Technol* **49**:761-7.
 68. **Hovhannisyan, G., T. von Schoen-Angerer, K. Babayan, O. Fenichiu, and V. Gaboulaud.** 2007. Antimicrobial susceptibility of *Neisseria gonorrhoeae* strains in three regions of Armenia. *Sex Transm Dis* **34**:686-8.
 69. **Ieven, M., M. Van Looveren, S. Sudigdoadi, Y. Rosana, W. Goossens, C. Lammens, A. Meheus, and H. Goossens.** 2003. Antimicrobial susceptibilities of *Neisseria gonorrhoeae* strains isolated in Java, Indonesia. *Sex Transm Dis* **30**:25-9.
 70. **Ison, C., I. Martin, C. Lowndes, and K. Fenton.** 2006. Comparability of laboratory diagnosis and antimicrobial susceptibility testing of *Neisseria gonorrhoeae* from reference laboratories in Western Europe. *J Antimicrob Chemother* **58**:580-6.
 71. **Jabeen, K., E. Khan, and R. Hasan.** 2006. Emergence of quinolone-resistant *Neisseria gonorrhoeae* in Pakistan. *Int J STD AIDS* **17**:30-3.
 72. **Jones, R., and D. Edson.** 1988. The identification and antimicrobial susceptibility testing of *Neisseria gonorrhoeae*, 1980-1987. Results from the College of American Pathologists Microbiology Surveys Program. *Arch Pathol Lab Med* **112**:485-8.
 73. **Khaki, P., P. Bhalla, A. Sharma, and V. Kumar.** 2007. Correlation between In vitro susceptibility and treatment outcome with azithromycin in gonorrhoea: a prospective study. *Indian J Med Microbiol* **25**:354-7.
 74. **Khaki, P., P. Bhalla, P. Sharma, R. Chawla, and K. Bhalla.** 2007. Epidemiological analysis of *Neisseria gonorrhoeae* isolates by antimicrobial susceptibility testing, auxotyping and serotyping. *Indian J Med Microbiol* **25**:225-9.
 75. **Kiehlbauch, J., G. Hannett, M. Salfinger, W. Archinal, C. Monserrat, and C. Carlyn.** 2000. Use of the National Committee for Clinical Laboratory Standards guidelines for disk diffusion susceptibility testing in New York state laboratories. *J Clin Microbiol* **38**:3341-8.
 76. **King, A.** 2001. Recommendations for susceptibility tests on fastidious organisms and those requiring special handling. *J Antimicrob Chemother* **48 Suppl 1**:77-80.
 77. **Knapp, J.** 1988. Laboratory methods for the detection and phenotypic characterization of *Neisseria gonorrhoeae* strains resistant to antimicrobial agents. *Sex Transm Dis* **15**:225-33.
 78. **Knapp, J., V. Mesola, S. Neal, T. Wi, C. Tuazon, R. Manalastas, P. Perine, and W.**

- Whittington.** 1997. Molecular epidemiology, in 1994, of *Neisseria gonorrhoeae* in Manila and Cebu City, Republic of the Philippines. *Sex Transm Dis* **24**:2-7.
79. **Korting, H., and A. Lukacs.** 1989. [Multi-step increase in resistance of *Neisseria gonorrhoeae* isolates after repeated in-vitro subinhibitory concentrations of second-generation quinolones]. *Infection* **17 Suppl 1**:S6-10.
80. **Kubanova, A., N. Frigo, A. Kubanov, S. Sidorenko, T. Pripitnevich, T. Vachnina, N. Al-Khafaji, S. Polevshikova, V. Solomka, M. Domeika, and M. Unemo.** 2008. National surveillance of antimicrobial susceptibility in *Neisseria gonorrhoeae* in 2005-2006 and recommendations of first-line antimicrobial drugs for gonorrhoea treatment in Russia. *Sex Transm Infect* **84**:285-9.
81. **Le Lin, B., R. Pastore, N. Liassine, C. Aramburu, and P. Sudre.** 2008. A new sexually transmitted infection (STI) in Geneva? Ciprofloxacin-resistant *Neisseria gonorrhoeae*, 2002-2005. *Swiss Med Wkly* **138**:243-6.
82. **Lee, K., Y. Chong, L. Erdenechemeg, K. Soon Song, and K. Hun Shin.** 1998. Incidence, epidemiology and evolution of reduced susceptibility to ciprofloxacin in *Neisseria gonorrhoeae* in Korea. *Clin Microbiol Infect* **4**:627-633.
83. **Lee, K., J. Shin, J. Lim, Y. Kim, D. Yong, H. Oh, and Y. Chong.** 2000. Emerging antimicrobial resistance, plasmid profile and pulsed-field gel electrophoresis pattern of the endonuclease-digested genomic DNA of *Neisseria gonorrhoeae*. *Yonsei Med J* **41**:381-6.
84. **Leow, Y., R. Chan, L. Cheong, C. Goh, and M. Nadarajah.** 1995. Comparing the efficacy of pefloxacin and ciprofloxacin in the treatment of acute uncomplicated gonococcal urethritis in males. *Ann Acad Med Singapore* **24**:515-8.
85. **Levett, P.** 1995. Antibiotic sensitivity of *Neisseria gonorrhoeae* isolates in Barbados: longitudinal surveillance 1990-1994. *West Indian Med J* **44**:130-2.
86. **Lind, I.** 1985. [Current status of the antibiotic resistance of *Neisseria gonorrhoeae*]. *Z Hautkr* **60**:1461-71.
87. **Lind, I.** 1990. Epidemiology of antibiotic resistant *Neisseria gonorrhoeae* in industrialized and developing countries. *Scand J Infect Dis Suppl* **69**:77-82.
88. **Lind, I., M. Arborio, M. Bentzon, Y. Buisson, M. Guibourdenche, K. Reimann, and J. Riou.** 1991. The epidemiology of *Neisseria gonorrhoeae* isolates in Dakar, Sénégal 1982-1986: antimicrobial resistance, auxotypes and plasmid profiles. *Genitourin Med* **67**:107-13.
89. **Llanes Caballero, R., J. Acosta Giraldo, J. Sosa Puente, D. Guzmán Hernández, O. Gutiérrez González, and A. Llop Hernández.** 1999. [Antimicrobial susceptibility of *Neisseria gonorrhoeae* strains determined by disk diffusion]. *Rev Cubana Med Trop* **51**:116-9.
90. **Llanes, R., C. Domínguez, A. Prat, C. Rodríguez, E. Valdés, O. Gutiérrez, and D. Guzmán.** 2005. Evaluation of the BIOCCN GC agar medium base in antimicrobial susceptibility testing of *Neisseria gonorrhoeae*. *Arch Med Res* **36**:344-9.
91. **Llanes, R., J. Sosa, D. Guzmán, Y. Gutiérrez, A. Llop, and O. Ricardo.** 2001. *Neisseria gonorrhoeae* resistant to ciprofloxacin: first report in Cuba. *Sex Transm Dis* **28**:82-3.
92. **Llanes, R., J. Sosa, D. Guzmán, A. Llop, E. Valdés, I. Martínez, S. Palma, and M. Lantero.** 2003. Antimicrobial susceptibility of *Neisseria gonorrhoeae* in Cuba (1995-1999): implications for treatment of gonorrhoea. *Sex Transm Dis* **30**:10-4.

93. **Lo, J., K. Ho, A. Leung, F. Tiu, G. Tsang, A. Lo, and J. Tapsall.** 2008. Ceftributen resistance and treatment failure of *Neisseria gonorrhoeae* infection. *Antimicrob Agents Chemother*.
94. **Loo, V., A. Simor, R. Jaeger, and D. Low.** 1989. Survey of antimicrobial susceptibility in *Neisseria gonorrhoeae* in a non-STD population in Ontario. *Can Dis Wkly Rep* **15**:33-4.
95. **Martin, I., S. Hoffmann, and C. Ison.** 2006. European Surveillance of Sexually Transmitted Infections (ESSTI): the first combined antimicrobial susceptibility data for *Neisseria gonorrhoeae* in Western Europe. *J Antimicrob Chemother* **58**:587-93.
96. **Martin, J. J., J. Thayer, S. Samuels, and J. Lucas.** 1965. In vitro antimicrobial susceptibility of *Neisseria gonorrhoeae* from penicillin treatment failures. *Antimicrob Agents Chemother (Bethesda)* **5**:366-8.
97. **Mason, P., L. Gwanzura, T. Chimbira, L. Mtimavalye, and J. Nathoo.** 1989. Antimicrobial susceptibility of *Neisseria gonorrhoeae* isolated from maternal and child infections in Harare. The Puerperal Sepsis Study Group. *Cent Afr J Med* **35**:367-71.
98. **Mason, P., L. Gwanzura, A. Latif, and E. Marowa.** 1990. Antimicrobial susceptibility of *Neisseria gonorrhoeae* in Harare, Zimbabwe. Relationship to serogroup. *Sex Transm Dis* **17**:63-6.
99. **Moodley, P., C. Pillay, R. Goga, A. Kharsany, and A. Sturm.** 2001. Evolution in the trends of antimicrobial resistance in *Neisseria gonorrhoeae* isolated in Durban over a 5 year period: impact of the introduction of syndromic management. *J Antimicrob Chemother* **48**:853-9.
100. **Ng, L., and I. Martin.** 2005. The laboratory diagnosis of *Neisseria gonorrhoeae*. *Can J Infect Dis Med Microbiol* **16**:15-25.
101. **Ohene, A.** 1997. Bacterial pathogens and their antimicrobial susceptibility in Kumasi, Ghana. *East Afr Med J* **74**:450-5.
102. **Olsson-Liljequist, B., P. Larsson, M. Walder, and H. Miörner.** 1997. Antimicrobial susceptibility testing in Sweden. III. Methodology for susceptibility testing. *Scand J Infect Dis Suppl* **105**:13-23.
103. **Otth, L., M. Gutiérrez, A. Tejero, T. Broussain, G. Wilson, H. Fernández, L. Aravena, and L. Muñoz.** 1987. [Beta-lactamase-producing *Neisseria gonorrhoeae* and its antimicrobial susceptibility in Valdivia]. *Rev Med Chil* **115**:956-9.
104. **Papadimos, T., J. Escamilla, R. Batchelor, E. Lane, and J. Biddle.** 1988. Antimicrobial susceptibility of *Neisseria gonorrhoeae* isolates from a military population in San Diego. *Sex Transm Dis* **15**:196-9.
105. **Piot, P., E. Van Dyck, and M. Lontie.** 1982. The antimicrobial susceptibility of *Neisseria Gonorrhoeae* in Belgium. *Acta Clin Belg* **37**:195-200.
106. **Rahman, M., Z. Sultan, S. Monira, A. Alam, K. Nessa, S. Islam, and S. Nahar.** 2002. Antimicrobial susceptibility of *Neisseria gonorrhoeae* isolated in Bangladesh (1997 to 1999): rapid shift to fluoroquinolone resistance. *J Clin Microbiol* **40**:2037-40.
107. **Ray, K., M. Bala, S. Kumari, and J. Narain.** 2005. Antimicrobial resistance of *Neisseria gonorrhoeae* in selected World Health Organization Southeast Asia Region countries: an overview. *Sex Transm Dis* **32**:178-84.
108. **Reichart, C., T. Neumann, P. Foreman, J. Zenilman, and E. r. Hook.** 1992. Temporal trends in gonococcal antibiotic resistance in Baltimore. *Sex Transm Dis* **19**:213-8.
109. **Reimann, K., A. Bollerup, and I. Lind.** 1992. The emergence of penicillinase-

- producing *Neisseria gonorrhoeae* strains carrying the 4.9 kb (Toronto) plasmid in Denmark and of a novel large plasmid in two nonpenicillinase-producing *Neisseria gonorrhoeae* strains. *Sex Transm Dis* **19**:206-12.
110. **Reimann, K., I. Kallings, and I. Lind.** 1993. The epidemiology of *Neisseria gonorrhoeae* isolates in Greenland 1979-1990: the emergence, spread and disappearance of non-PPNG strains carrying the conjugative 38.9 kb plasmid. *Sex Transm Dis* **20**:338-43.
 111. **Rouquette-Loughlin, C., J. Balthazar, and W. Shafer.** 2005. Characterization of the MacA-MacB efflux system in *Neisseria gonorrhoeae*. *J Antimicrob Chemother* **56**:856-60.
 112. **Roy, K., S. Wang, and M. Meltzer.** 2005. Optimizing treatment of antimicrobial-resistant *Neisseria gonorrhoeae*. *Emerg Infect Dis* **11**:1265-73.
 113. **Saika, T., I. Kobayashi, and M. Inoue.** 2004. A comparison of the microbiological characteristics of *Neisseria gonorrhoeae* isolated from male and female patients with gonorrhea. *Chemotherapy* **50**:92-7.
 114. **Saika, T., T. Nishiyama, A. Kanayama, I. Kobayashi, H. Nakayama, M. Tanaka, and S. Naito.** 2001. Comparison of *Neisseria gonorrhoeae* isolates from the genital tract and pharynx of two gonorrhea patients. *J Infect Chemother* **7**:175-9.
 115. **Sanchez, M., M. Barrett, and R. Jones.** 1992. The E-Test applied to susceptibility tests of gonococci, multiply-resistant enterococci, and Enterobacteriaceae producing potent beta-lactamases. *Diagn Microbiol Infect Dis* **15**:459-63.
 116. **Schwebke, J., W. Whittington, R. Rice, H. Handsfield, J. Hale, and K. Holmes.** 1995. Trends in susceptibility of *Neisseria gonorrhoeae* to ceftriaxone from 1985 through 1991. *Antimicrob Agents Chemother* **39**:917-20.
 117. **Sethi, S., D. Sharma, S. Mehta, B. Singh, M. Smriti, B. Kumar, and M. Sharma.** 2006. Emergence of ciprofloxacin resistant *Neisseria gonorrhoeae* in north India. *Indian J Med Res* **123**:707-10.
 118. **Shilpee, C., V. Ramachandran, S. Das, and S. Bhattacharya.** 2008. Antimicrobial susceptibility profile of *Neisseria gonorrhoeae* at STI clinic. *Indian J Med Microbiol* **26**:62-4.
 119. **Smith, B., M. Cummings, J. Covino, S. Benes, K. Draft, and W. McCormack.** 1991. Evaluation of ofloxacin in the treatment of uncomplicated gonorrhea. *Sex Transm Dis* **18**:18-20.
 120. **Snell, J., and D. Brown.** 1988. Antimicrobial susceptibility testing of *Neisseria gonorrhoeae*: a trial organised as part of the United Kingdom national external quality assessment scheme for microbiology. *J Clin Pathol* **41**:97-102.
 121. **Sng, E., A. Lim, and K. Yeo.** 1984. Susceptibility to antimicrobials of *Neisseria gonorrhoeae* isolated in Singapore: implications on the need for more effective treatment regimens and control strategies. *Br J Vener Dis* **60**:374-9.
 122. **Sosa, J., R. Llanes, W. Rodríguez, Y. Gutiérrez, and D. Guzmán.** 2000. Characterization of *Neisseria gonorrhoeae* strains isolated from patients with conjunctivitis. *Mem Inst Oswaldo Cruz* **95**:853-4.
 123. **Sosa, J., S. Ramirez-Arcos, M. Ruben, H. Li, R. Llanes, A. Llop, and J. Dillon.** 2003. High percentages of resistance to tetracycline and penicillin and reduced susceptibility to azithromycin characterize the majority of strain types of *Neisseria gonorrhoeae* isolates in Cuba, 1995-1998. *Sex Transm Dis* **30**:443-8.

124. **Stathi, M., A. Flemetakis, V. Miriagou, H. Avgerinou, K. Kyriakis, A. Maniatis, and E. Tzelepi.** 2006. Antimicrobial susceptibility of *Neisseria gonorrhoeae* in Greece: data for the years 1994-2004. *J Antimicrob Chemother* **57**:775-9.
125. **Su, X., N. Hutapea, J. Tapsall, and I. Lind.** 2003. Plasmid-mediated resistance of *Neisseria gonorrhoeae* strains isolated from female sex workers in North Sumatra, Indonesia, 1996. *Sex Transm Dis* **30**:178-82.
126. **Swanston, W., C. Ali, B. Mahabir, P. Prabhakar, S. Basraj, and J. George.** 1997. Antibiotic susceptibility of *Neisseria gonorrhoeae* in Trinidad and Tobago. *West Indian Med J* **46**:107-10.
127. **Tadesse, A., A. Mekonnen, A. Kassu, and T. Asmelash.** 2001. Antimicrobial sensitivity of *Neisseria gonorrhoea* in Gondar, Ethiopia. *East Afr Med J* **78**:259-61.
128. **Tanaka, M., S. Naito, H. Nakayama, and I. Kobayashi.** 1999. Antimicrobial susceptibility of *Neisseria gonorrhoeae* in Fukuoka City, Japan, in the early 1980s and 1997-1998: emergence of high-level fluoroquinolone resistance. *Antimicrob Agents Chemother* **43**:722-3.
129. **Tanaka, M., K. Sagiya, M. Haraoka, T. Saika, I. Kobayashi, and S. Naito.** 1999. Genotypic evolution in a quinolone-resistant *Neisseria gonorrhoeae* isolate from a patient with clinical failure of levofloxacin treatment. *Urol Int* **62**:64-8.
130. **Tsuji, A., F. Ikeda, Y. Kaneko, and S. Goto.** 1986. In vitro antimicrobial susceptibility of penicillinase-producing *Neisseria gonorrhoeae* in Japan. *Eur J Clin Microbiol* **5**:51-2.
131. **Tsunoe, H., M. Tanaka, O. Mochida, H. Nakayama, A. Kanayama, T. Saika, I. Kobayashi, and S. Naito.** 2001. Association between proline-requiring auxotype and fluoroquinolone resistance in *Neisseria gonorrhoeae* isolated in Japan. *J Infect Chemother* **7**:218-23.
132. **Tzelepi, E., H. Avgerinou, K. Kyriakis, L. Tzouvelekis, A. Flemetakis, A. Kalogeropoulou, and E. Frangouli.** 1997. Antimicrobial susceptibility and types of *Neisseria gonorrhoeae* in Greece. Data for the period 1990 to 1993. *Sex Transm Dis* **24**:378-85.
133. **Tzelepi, E., E. Frangouli, V. Athanassopoulou, G. Tzanakaki, and P. Tseliou.** 1991. *Neisseria gonorrhoeae* in Athens, Greece. Epidemiologic classification and antimicrobial susceptibility patterns of strains isolated between 1986 and 1989. *Sex Transm Dis* **18**:238-44.
134. **Unemo, M., V. Vorobieva, N. Firsova, T. Ababkova, I. Leniv, B. Haldorsen, H. Fredlund, and V. Skogen.** 2007. *Neisseria gonorrhoeae* population in Arkhangelsk, Russia: phenotypic and genotypic heterogeneity. *Clin Microbiol Infect* **13**:873-8.
135. **Van der Veen, F., and L. Fransen.** 1998. Drugs for STD management in developing countries: choice, procurement, cost, and financing. *Sex Transm Infect* **74 Suppl 1**:S166-74.
136. **van Duynhoven, Y., B. van Klingeren, M. van Santen-Verheuevel, W. van der Meijden, and M. van de Laar.** 1997. Molecular epidemiology of infections with *Neisseria gonorrhoeae* among visitors to a sexually transmitted diseases clinic. *Sex Transm Dis* **24**:409-17.
137. **van Dyck, E., M. Alary, A. Guédou, S. Abdellati, E. Lafia, and S. Anagonou.** 2001. Antimicrobial susceptibilities and plasmid patterns of *Neisseria gonorrhoeae* in Bénin. *Int J STD AIDS* **12**:89-93.
138. **Van Dyck, E., F. Crabbé, N. Nzila, J. Bogaerts, J. Munyabikali, P. Ghys, M. Diallo,**

- and M. Laga.** 1997. Increasing resistance of *Neisseria gonorrhoeae* in west and central Africa. Consequence on therapy of gonococcal infection. *Sex Transm Dis* **24**:32-7.
139. **Van Dyck, E., E. Karita, S. Abdellati, V. Dirk, M. Ngabonziza, Y. Lafort, and M. Laga.** 2001. Antimicrobial susceptibilities of *Neisseria gonorrhoeae* in Kigali, Rwanda, and trends of resistance between 1986 and 2000. *Sex Transm Dis* **28**:539-45.
140. **Van Dyck, E., M. Laga, A. Manoka, F. Behets, and P. Piot.** 1995. Epidemic spread of plasmid-mediated tetracycline resistant *Neisseria gonorrhoeae* in Zaire. *Int J STD AIDS* **6**:345-7.
141. **Van Dyck, E., R. Rossau, M. Duhamel, F. Behets, M. Laga, M. Nzila, S. Bygdeman, H. Van Heuverswijn, and P. Piot.** 1992. Antimicrobial susceptibility of *Neisseria gonorrhoeae* in Zaire: high level plasmid-mediated tetracycline resistance in central Africa. *Genitourin Med* **68**:111-6.
142. **Van Dyck, E., H. Smet, and P. Piot.** 1994. Comparison of E test with agar dilution for antimicrobial susceptibility testing of *Neisseria gonorrhoeae*. *J Clin Microbiol* **32**:1586-8.
143. **Wade, J., and M. Graver.** 2007. A fully defined, clear and protein-free liquid medium permitting dense growth of *Neisseria gonorrhoeae* from very low inocula. *FEMS Microbiol Lett* **273**:35-7.
144. **Wang, B., J. Xu, C. Wang, Z. Mi, Y. Pu, M. Hui, T. Ling, and C. Chan.** 2006. Antimicrobial susceptibility of *Neisseria gonorrhoeae* isolated in Jiangsu Province, China, with a focus on fluoroquinolone resistance. *J Med Microbiol* **55**:1251-5.
145. **Wang, S., A. Harvey, S. Conner, A. Zaidi, J. Knapp, W. Whittington, C. del Rio, F. Judson, and K. Holmes.** 2007. Antimicrobial resistance for *Neisseria gonorrhoeae* in the United States, 1988 to 2003: the spread of fluoroquinolone resistance. *Ann Intern Med* **147**:81-8.
146. **West, B., J. Changalucha, H. Grosskurth, P. Mayaud, R. Gabone, G. Ka-Gina, and D. Mabey.** 1995. Antimicrobial susceptibility, auxotype and plasmid content of *Neisseria gonorrhoeae* in northern Tanzania: emergence of high level plasmid mediated tetracycline resistance. *Genitourin Med* **71**:9-12.
147. **Widy-Wirski, R., J. D'Costa, J. Biddle, and S. Brown.** 1982. Antimicrobial susceptibility of gonococci isolated in the Central African Republic. *Bull World Health Organ* **60**:959-63.
148. **Woodford, N., and C. Ison.** 1988. The effect of media on antimicrobial susceptibility testing of *Neisseria gonorrhoeae*. *J Antimicrob Chemother* **22**:463-71.
149. **Worth, S., M. Erwin, and R. Jones.** 1996. Quality control guidelines for amoxicillin, amoxicillin-clavulanate, azithromycin, piperacillin-tazobactam, roxithromycin, ticarcillin, ticarcillin-clavulanate, trovafloxacin (CP 99,219), U-100592, and U-100766 for various National Committee for Clinical Laboratory Standards susceptibility testing methods. Results from multicenter trials. *Diagn Microbiol Infect Dis* **24**:87-91.
150. **Yang, Y., M. Liao, W. Gu, K. Bell, L. Wu, N. Eng, C. Zhang, Y. Chen, A. Jolly, and J. Dillon.** 2006. Antimicrobial susceptibility and molecular determinants of quinolone resistance in *Neisseria gonorrhoeae* isolates from Shanghai. *J Antimicrob Chemother* **58**:868-72.
151. **Yasin, R., K. Suan, and C. Meng.** 1997. Comparison of E-test with agar dilution methods in testing susceptibility of *N. gonorrhoeae* to azithromycin. *Sex Transm Dis* **24**:257-60.
152. **Ye, S., X. Su, Q. Wang, Y. Yin, X. Dai, and H. Sun.** 2002. Surveillance of antibiotic

- resistance of *Neisseria gonorrhoeae* isolates in China, 1993-1998. *Sex Transm Dis* **29**:242-5.
153. **Ye, S., Q. Wang, X. Su, Y. Yin, X. Dai, and H. Sun.** 2003. [Epidemiological and bacteriological characteristics of *Neisseria gonorrhoeae* isolates in China]. *Zhonghua Liu Xing Bing Xue Za Zhi* **24**:119-22.
 154. **Yeung, K., L. Ng, and J. Dillon.** 1993. Evaluation of Etest for testing antimicrobial susceptibilities of *Neisseria gonorrhoeae* isolates with different growth media. *J Clin Microbiol* **31**:3053-5.
 155. **Zachariah, R., A. Harries, W. Nkhoma, V. Arendt, D. Nchingula, A. Chantulo, F. Chimtulo, and P. Kirpach.** 2002. Behavioural characteristics, prevalence of *Chlamydia trachomatis* and antibiotic susceptibility of *Neisseria gonorrhoeae* in men with urethral discharge in Thyolo, Malawi. *Trans R Soc Trop Med Hyg* **96**:232-5.
 156. **Zarantonelli, L., G. Borthagaray, E. Lee, and W. Shafer.** 1999. Decreased azithromycin susceptibility of *Neisseria gonorrhoeae* due to *mtrR* mutations. *Antimicrob Agents Chemother* **43**:2468-72.
 157. **Zarantonelli, L., G. Borthagaray, E. Lee, W. Veal, and W. Shafer.** 2001. Decreased susceptibility to azithromycin and erythromycin mediated by a novel *mtr(R)* promoter mutation in *Neisseria gonorrhoeae*. *J Antimicrob Chemother* **47**:651-4.
 158. **Zheng, H., W. Cao, X. Wu, and L. Yang.** 2003. Antimicrobial susceptibility of *Neisseria gonorrhoeae* strains isolated in Guangzhou, China, 1996-2001. *Sex Transm Infect* **79**:399-402.