

## EndNote Web

Search Key Word: PorB and Neisseria gonorrhoeae (in Abstract)

Search date: August 13, 2008

Export in the bibliographic style of J Clin Microbiol

1. **Bash, M., P. Zhu, S. Gulati, D. McKnew, P. Rice, and F. Lynn.** 2005. por Variable-region typing by DNA probe hybridization is broadly applicable to epidemiologic studies of Neisseria gonorrhoeae. *J Clin Microbiol* **43**:1522-30.
2. **Bauer, F., T. Rudel, M. Stein, and T. Meyer.** 1999. Mutagenesis of the Neisseria gonorrhoeae porin reduces invasion in epithelial cells and enhances phagocyte responsiveness. *Mol Microbiol* **31**:903-13.
3. **Binnicker, M., R. Williams, and M. Apicella.** 2004. Gonococcal porin IB activates NF-kappaB in human urethral epithelium and increases the expression of host antiapoptotic factors. *Infect Immun* **72**:6408-17.
4. **Dehio, C., S. Gray-Owen, and T. Meyer.** 2000. Host cell invasion by pathogenic Neisseriae. *Subcell Biochem* **33**:61-96.
5. **Derrick, J., R. Urwin, J. Suker, I. Feavers, and M. Maiden.** 1999. Structural and evolutionary inference from molecular variation in Neisseria porins. *Infect Immun* **67**:2406-13.
6. **Garvin, L., M. Bash, C. Keys, D. Warner, S. Ram, W. Shafer, and A. Jerse.** 2008. Phenotypic and genotypic analyses of Neisseria gonorrhoeae isolates that express frequently recovered PorB PIA variable region types suggest that certain P1a porin sequences confer a selective advantage for urogenital tract infection. *Infect Immun* **76**:3700-9.
7. **Kühlewein, C., C. Rechner, T. Meyer, and T. Rudel.** 2006. Low-phosphate-dependent invasion resembles a general way for Neisseria gonorrhoeae to enter host cells. *Infect Immun* **74**:4266-73.
8. **Liao, M., K. Bell, W. Gu, Y. Yang, N. Eng, W. Fu, L. Wu, C. Zhang, Y. Chen, A. Jolly, and J. Dillon.** 2008. Clusters of circulating Neisseria gonorrhoeae strains and association with antimicrobial resistance in Shanghai. *J Antimicrob Chemother* **61**:478-87.
9. **Ling, A., M. Bash, F. Lynn, N. Lister, P. Zhu, S. Garland, C. Fairley, and S. Tabrizi.** 2007. Evaluation of PorB variable region typing of Neisseria gonorrhoeae using PCR-ELISA in samples collected from men who have sex with men. *J Clin Lab Anal* **21**:237-43.
10. **Lundbäck, D., H. Fredlund, T. Berglund, B. Wretlind, and M. Unemo.** 2006. Molecular epidemiology of Neisseria gonorrhoeae- identification of the first presumed Swedish transmission chain of an azithromycin-resistant strain. *APMIS* **114**:67-71.
11. **Lynn, F., M. Hobbs, J. Zenilman, F. Behets, K. Van Damme, A. Rasamindrakotroka, and M. Bash.** 2005. Genetic typing of the porin protein of Neisseria gonorrhoeae from clinical noncultured samples for strain characterization and identification of mixed gonococcal infections. *J Clin Microbiol* **43**:368-75.
12. **Madico, G., J. Ngampasutadol, S. Gulati, U. Vogel, P. Rice, and S. Ram.** 2007. Factor H binding and function in sialylated pathogenic neisseriae is influenced by gonococcal,

- but not meningococcal, porin. *J Immunol* **178**:4489-97.
13. **Massari, P., S. Ram, H. Macleod, and L. Wetzler.** 2003. The role of porins in neisserial pathogenesis and immunity. *Trends Microbiol* **11**:87-93.
  14. **Mavroidi, A., L. Tzouvelekis, K. Kyriakis, H. Avgerinou, M. Daniilidou, and E. Tzelepi.** 2001. Multidrug-resistant strains of *Neisseria gonorrhoeae* in Greece. *Antimicrob Agents Chemother* **45**:2651-4.
  15. **Mosleh, I., L. Huber, P. Steinlein, C. Pasquali, D. Günther, and T. Meyer.** 1998. *Neisseria gonorrhoeae* porin modulates phagosome maturation. *J Biol Chem* **273**:35332-8.
  16. **Müller, A., D. Günther, V. Brinkmann, R. Hurwitz, T. Meyer, and T. Rudel.** 2000. Targeting of the pro-apoptotic VDAC-like porin (PorB) of *Neisseria gonorrhoeae* to mitochondria of infected cells. *EMBO J* **19**:5332-43.
  17. **Müller, A., D. Günther, F. Düx, M. Naumann, T. Meyer, and T. Rudel.** 1999. Neisserial porin (PorB) causes rapid calcium influx in target cells and induces apoptosis by the activation of cysteine proteases. *EMBO J* **18**:339-52.
  18. **Müller, A., J. Rassow, J. Grimm, N. Machuy, T. Meyer, and T. Rudel.** 2002. VDAC and the bacterial porin PorB of *Neisseria gonorrhoeae* share mitochondrial import pathways. *EMBO J* **21**:1916-29.
  19. **Ng, L., and I. Martin.** 2005. The laboratory diagnosis of *Neisseria gonorrhoeae*. *Can J Infect Dis Med Microbiol* **16**:15-25.
  20. **Olesky, M., S. Zhao, R. Rosenberg, and R. Nicholas.** 2006. Porin-mediated antibiotic resistance in *Neisseria gonorrhoeae*: ion, solute, and antibiotic permeation through PIB proteins with penB mutations. *J Bacteriol* **188**:2300-8.
  21. **Olsen, B., R. Hadad, H. Fredlund, and M. Unemo.** 2008. The *Neisseria gonorrhoeae* population in Sweden during 2005-phenotypes, genotypes and antibiotic resistance. *APMIS* **116**:181-9.
  22. **Posada, D., K. Crandall, M. Nguyen, J. Demma, and R. Viscidi.** 2000. Population genetics of the porB gene of *Neisseria gonorrhoeae*: different dynamics in different homology groups. *Mol Biol Evol* **17**:423-36.
  23. **Pérez-Losada, M., K. Crandall, M. Bash, M. Dan, J. Zenilman, and R. Viscidi.** 2007. Distinguishing importation from diversification of quinolone-resistant *Neisseria gonorrhoeae* by molecular evolutionary analysis. *BMC Evol Biol* **7**:84.
  24. **Pérez-Losada, M., R. Viscidi, J. Demma, J. Zenilman, and K. Crandall.** 2005. Population genetics of *Neisseria gonorrhoeae* in a high-prevalence community using a hypervariable outer membrane porB and 13 slowly evolving housekeeping genes. *Mol Biol Evol* **22**:1887-902.
  25. **Rechner, C., C. Kühlewein, A. Müller, H. Schild, and T. Rudel.** 2007. Host glycoprotein Gp96 and scavenger receptor SREC interact with PorB of disseminating *Neisseria gonorrhoeae* in an epithelial invasion pathway. *Cell Host Microbe* **2**:393-403.
  26. **Smith, N., J. Maynard Smith, and B. Spratt.** 1995. Sequence evolution of the porB gene of *Neisseria gonorrhoeae* and *Neisseria meningitidis*: evidence of positive Darwinian selection. *Mol Biol Evol* **12**:363-70.
  27. **Sánchez, S., A. Abel, J. Arenas, M. Criado, and C. Ferreirós.** 2006. Cross-linking analysis of antigenic outer membrane protein complexes of *Neisseria meningitidis*. *Res Microbiol* **157**:136-42.
  28. **Ulmer, J., C. Burke, C. Shi, A. Friedman, J. Donnelly, and M. Liu.** 1992. Pore

- formation and mitogenicity in blood cells by the class 2 protein of *Neisseria meningitidis*. *J Biol Chem* **267**:19266-71.
29. **Unemo, M., O. Norlén, and H. Fredlund.** 2005. The *porA* pseudogene of *Neisseria gonorrhoeae*--low level of genetic polymorphism and a few, mainly identical, inactivating mutations. *APMIS* **113**:410-9.
  30. **Unemo, M., P. Olcén, J. Albert, and H. Fredlund.** 2003. Comparison of serologic and genetic *porB*-based typing of *Neisseria gonorrhoeae*: consequences for future characterization. *J Clin Microbiol* **41**:4141-7.
  31. **Unemo, M., P. Olcén, T. Berglund, J. Albert, and H. Fredlund.** 2002. Molecular epidemiology of *Neisseria gonorrhoeae*: sequence analysis of the *porB* gene confirms presence of two circulating strains. *J Clin Microbiol* **40**:3741-9.
  32. **Unemo, M., P. Olcén, J. Jonasson, and H. Fredlund.** 2004. Molecular typing of *Neisseria gonorrhoeae* isolates by pyrosequencing of highly polymorphic segments of the *porB* gene. *J Clin Microbiol* **42**:2926-34.
  33. **Unemo, M., H. Palmer, T. Blackmore, G. Herrera, H. Fredlund, A. Limnios, N. Nguyen, and J. Tapsall.** 2007. Global transmission of prolyliminopeptidase-negative *Neisseria gonorrhoeae* strains: implications for changes in diagnostic strategies. *Sex Transm Infect* **83**:47-51.
  34. **Unemo, M., A. Sjöstrand, M. Akhras, B. Gharizadeh, E. Lindbäck, N. Pourmand, B. Wretling, and H. Fredlund.** 2007. Molecular characterization of *Neisseria gonorrhoeae* identifies transmission and resistance of one ciprofloxacin-resistant strain. *APMIS* **115**:231-41.
  35. **Unemo, M., V. Vorobieva, N. Firsova, T. Ababkova, I. Leniv, B. Haldorsen, H. Fredlund, and V. Skogen.** 2007. *Neisseria gonorrhoeae* population in Arkhangelsk, Russia: phenotypic and genotypic heterogeneity. *Clin Microbiol Infect* **13**:873-8.
  36. **Viscidi, R., and J. Demma.** 2003. Genetic diversity of *Neisseria gonorrhoeae* housekeeping genes. *J Clin Microbiol* **41**:197-204.
  37. **Vázquez, J., S. Berrón, M. O'Rourke, G. Carpenter, E. Feil, N. Smith, and B. Spratt.** 1995. Interspecies recombination in nature: a meningococcus that has acquired a gonococcal PIB porin. *Mol Microbiol* **15**:1001-7.
  38. **Ward, M., P. Lambden, and J. Heckels.** 1992. Sequence analysis and relationships between meningococcal class 3 serotype proteins and other porins from pathogenic and non-pathogenic *Neisseria* species. *FEMS Microbiol Lett* **73**:283-9.
  39. **Wolff, K., and A. Stern.** 1991. The class 3 outer membrane protein (PorB) of *Neisseria meningitidis*: gene sequence and homology to the gonococcal porin PIA. *FEMS Microbiol Lett* **67**:179-85.
  40. **Zhu, W., C. Thomas, C. Chen, C. Van Dam, R. Johnston, N. Davis, and P. Sparling.** 2005. Comparison of immune responses to gonococcal PorB delivered as outer membrane vesicles, recombinant protein, or Venezuelan equine encephalitis virus replicon particles. *Infect Immun* **73**:7558-68.
  41. **Zhu, W., C. Thomas, and P. Sparling.** 2004. DNA immunization of mice with a plasmid encoding *Neisseria gonorrhoea* PorB protein by intramuscular injection and epidermal particle bombardment. *Vaccine* **22**:660-9.